



Home Innovation
NGBS GREEN CERTIFIED™


THIS SIGNIFIES THE FOLLOWING CONSTRUCTION PRODUCTS

ROLLEX ALUMINUM DRIP EDGE

MANUFACTURED BY

ROLLEX CORPORATION

ARE CERTIFIED FOR POINTS TOWARD NGBS GREEN CERTIFICATION TO THE ICC 700
NATIONAL GREEN BUILDING STANDARD, AS DETAILED BELOW.


Michael Luzier – President & CEO

08-18-2011
Approval Date

05-31-2026
Expiration Date

CERTIFICATE # 191

This certificate is not a representation, warranty, or guarantee of product performance or certification of code compliance. For details of the product warranty, consult the product manufacturer.



NGBS Green Certificate #NGBSGCP-000191

Product: Rollex Aluminum Drip Edge

Manufacturer: Rollex Corporation

The product(s) shown on this report have been independently verified as eligible products for use in achieving points toward project certification under ICC-700 National Green Building Standard. Home Innovation Research Labs authorizes accredited verifiers to award points toward certification without additional documentation when the product(s) is used as noted below.

2020 NATIONAL GREEN BUILDING STANDARD			
PRACTICE #	PRACTICE DESCRIPTION	POTENTIAL POINTS AVAILABLE	ADDITIONAL CONDITIONAL OF USE TO AWARD POINTS
601.7	Building materials/assemblies do not require additional site applied material for finishing. 12 points max. awarded.	1, 2, 5	At least 35% of the prefinished building materials or assemblies are this product.
602.1.6	Termite-resistant materials are used for the foundation, all structural walls, floors, concealed roof spaces not accessible for inspection, exterior decks, and exterior claddings within the first 2 ft above the top of the foundation. 2 points available.	2-6	To earn two points, product is used in conjunction with other termite resistant materials for the first 2 feet of all the foundation, floor, and structural wall, wall cladding, and exterior deck components in zones with slight to moderate termite infestation. 4 points are awarded when used in conjunction with other termite resistant materials for the first 3 feet in moderate to heavy termite zones, and 6 points are awarded for use with other termite resistant materials for all of the foundation, floor, and structural wall, wall cladding, and exterior deck components in areas of very heavy termites.
604.1	Building materials with recycled content are used for two minor and/or two major components of the building. 1-6 points available.	1-3	Points awarded for 2 products w/ recycled content. Use of another minor product with at least 75% recycled content required for 3 points. Lesser points available for use with another minor product with less recycled content.

2020 NATIONAL GREEN BUILDING STANDARD			
PRACTICE #	PRACTICE DESCRIPTION	POTENTIAL POINTS AVAILABLE	ADDITIONAL CONDITIONAL OF USE TO AWARD POINTS
602.1.9(1)	Flashing is installed at specified locations. Mandatory.	Mandatory	This product satisfies sub-section (h). Product is installed at eaves and rake edges.



GRESB Scoring Potential

GRESB is a framework widely used by commercial and multifamily organizations that measures the ESG (Environmental, Social, and Governance) performance of a company's real estate portfolio. Certification to the following 2020 NGBS practices indicates that this product potentially contributes to one or more GRESB Indicator(s). For more information, visit www.ngbs.com/ESG and www.GRESB.com.

NGBS Green Certificate #191

Product: Rollex Aluminum Drip Edge

Manufacturer: Rollex Corporation

Practice #	Practice Description	GRESB Indicator
604.1	Building materials with recycled content are used for two minor and/or two major components of the building. 1-6 points available.	DMA1 Materials selection requirements